



## 2019 DYNAPAC CC1200 VI COMPACTOR SMOOTH DRUM 579857



### Seller Information

**Company**  
Rhino Machinery  
La Grange, TX

**Retail Contact**  
Mike Virnau  
(979) 315-4995



### Specifications

<b>Location:</b> Rhino Machinery	<b>Condition:</b> Used	<b>Serial Number / VIN:</b> 10000446 LKA024623
<b>Stock Number:</b> 579857	<b>Hours:</b> 628	<b>Horsepower:</b> 25 horsepower
<b>Engine Manufacturer:</b> KUBOTA	<b>Engine Model:</b> D1703-M-DI-EF03	<b>ROPS:</b> Open
<b>Max Travel Speed:</b> 6 miles/hour	<b>Fuel Capacity:</b> 12 gallon	<b>Number of Drums:</b> 2
<b>Operating Weight:</b> 5700 pound	<b>Shipping Height:</b> 68.7 inch	<b>Shipping Length:</b> 94.5 inch
<b>Shipping Width:</b> 52.8 inch	<b>Amplitude - High:</b> 0.02 inch	<b>Centrifugal Force - Low:</b> 6500 pound
<b>Frequency - High:</b> 3960 vibrations/min	<b>Frequency - Low:</b> 3660 vibrations/min	<b>Drum Width:</b> 47.2 inch
<b>Drum Diameter:</b> 27.6 inch	<b>Water Capacity:</b> 54 gallon	<b>Engine Tier:</b> USA Tier 4
<b>Vibratory Drum</b>	<b>Oscillating Drum</b>	<b>Water System</b>
<b>Centrifugal Force - High:</b> 7600 pound	<b>Variable Frequency</b>	

### Description

#### Key Features:

- Engine: 25 HP Kubota D1703-DI, Tier 4 Final, fuel-efficient.
- Drive System: Hydrostatic drive with axial piston pump and radial piston motors.
- Speed Range: 0-6 mph for optimal mobility.
- Gradeability: 42% maximum theoretical gradeability.

#### Compaction Performance:

- Drum: 47.2" Double Drum for uniform compaction.
- Centrifugal Force: 7,600 lbs / 6,500 lbs for efficient compaction.
- Vibration Frequency: 3,960 / 3,660 vpm for precise operation.
- Nominal Amplitude: 0.020 in for effective material compression.
- Water System: 54-gallon water tank for extended operation.

#### Dimensions & Features:

- Operating Weight: 5,700 lbs for stability.
- Operator Station: ROPS protection with ergonomic controls.
- Braking System: Hydrostatic service brake, fail-safe multidisc parking brake.

+1-877-446-6622

5830 Highway 71 West, La Grange, TX 78945

<https://www.rhinomachinery.com>

